







0199





0197



0195







| TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS |          |            |            |           |            |            |
|-------------------------------------------------------------------------|----------|------------|------------|-----------|------------|------------|
| Test conditions: CECOMAF (evap. temp. -25°C)                            |          |            |            |           |            |            |
| Verdichter/Compressor/Compresor                                         |          | Danfoss    | Matsushita | Jiaxipera | ACC        | Danfoss    |
| Typ/Type/Tipo                                                           |          | NLX8.8KK.2 | DG91E      | ZBS1114CY | HTK95AA.02 | TLX8.7KK.3 |
| Anlaufkondensator/Runing capacitor/Condensador de marcha                |          | YES        | NO         | YES       | YES        | YES        |
| Stromverbraucht/Current consumption/Int. consumo                        | A        | 0,37       | 0,64       | 0,46      | 0,60       | 0,42       |
| Leistungverbraucht/Power consumption/Potencia cons.                     | W        | 76,00      | 95,00      | 100,00    | 98,00      | 87,70      |
| C.O.P.                                                                  | W/W      | 1,49       | 1,20       | 1,33      | 1,29       | 1,31       |
| Kühlleistung/Cooling capacity/Potencia frigorífica                      | W        | 113        | 114        | 127       | 126        | 115        |
| Füllmenge/Fill. quantily/Charge/Carga                                   | R600a. g | *          | *          | *         | *          | *          |

\* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características