


Balay





Copyright © (2017) by Balay / 205502





Danfoss	NLE15K	14 1926	16 5570	16 3427	35 4583	17 1318	26 5327	17 1519					
	Pos.	1	7	3	4	2	9	2	8	6	10	11	12

LECHINISCHE DALEN/ LECHINICAL DALA/ LENNIN BILGILEN	
Verdichter/Compressor/Kompresör	Danfoss
Iypv Iype/ IIp Förderleistuna/Deliverv/Verim/h	NETDK
Anlaufstromm/Starting current/Giris akimi A	10.9
Widerstand/Resistance/Rezistans Ha/ Ohm	10.7
Hi/aux.	13.0
Temp. Reyler/Thermostat/Termostat	K59/P1777
Typ/Type/Tip Bedleretell ind/Position/Termostat poziswani	
Schaltwerte/Acma kapama degerleriein/acma ºC	+3.5 +3.5
Valeurs de commutation/Termostat degeriaus"/kapama (abtaven' od)alarm'	-31 -20
Fülmenge/Fill. quantily/ Dolum miktari R600 g	82
Anschlusswert/Comm. load/Giris gucu W	175
Heizung/Heater/Rezistans	
Widerstand/Resistance/Direnc	
Leistung/Power/Guc W	
Ventilador/Blower/Vantilatör	
Widerstand/Resistance/Rezistans Ohm	
Magnetventi/Magnetic valve/Manyetik valf	
Widerstand/Resistance/Rezistans Ohm	
Spannung/Voltage/Gerilim V	
Temp. Revler/Thermostat/Termostat	

^{*} Siehe Typenschild/Mamul etiketine bakiniz