




Gebrauchsanweisung

59 1583

(es,en,fr,pt)

1) 16 9753


2) 17 2762

3) 18 4027


4) 42 3890


42 1469

06 0083
17 2258



- 1) 06 0083
- 2) 17 2274
- 3) 06 0115





TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS		
	KF	GF
Verdichter/Compressor/Compresseur/Compresor	LG	Danfoss
Typ/Type/Tipo	NDA 69NAEM	TLES9KK2
Förderleistung/Delivery/Debit/Aspiración l/h	1240	1584
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A	4,3	4,5
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	31,9	16,5
Hi/aux.	21,31	16,9
Temp.Reyler/Thermostat/Termostato		
Typ/Type/Tipo		
Reglerstellung/Position/Conexión		
Schaltwerte/Switching values/ ..ein/conex.°C		
Valeurs de commutation/Desconex. ..aus"/descon.		
(..abtaven' od) ..alarm'		
Füllmenge/Fill. quantily/Charge/Carga R600a g	30	50
Anschlusswert/Comm. load/Puiss. Connect./Potenc. W		160
Ventilator/Blower/Ventilateur		
Widerstand/Resistance Ohm		

1) 06 0182