









0199





0197



0195







| TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS |          |           |            |         |         |            |
|-------------------------------------------------------------------------|----------|-----------|------------|---------|---------|------------|
| Test conditions: CECOMAF (evap. temp. -25°C)                            |          |           |            |         |         |            |
| Verdichter/Compressor/Compresor                                         |          | Danfoss   | Matsushita | Danfoss | Danfoss | Jiaxispera |
| Typ/Type/Tipo                                                           |          | NLX10KK.2 | DG100E     | NLX10KK | NLX11KK | ZBX1115CY  |
| Anlaufkondensator/Runing capacitor/Condensador de marcha                |          | YES       | NO         | YES     | YES     | YES        |
| Stromverbraucht/Current consumption/Int. consumo                        | A        | 0,44      | 0,70       | 0,45    | 0,51    | 0,48       |
| Leistungverbraucht/Power consumption/Potencia cons.                     | W        | 89,50     | 109,00     | 96,50   | 108,00  | 94,00      |
| C.O.P.                                                                  | W/W      | 1,49      | 1,20       | 1,36    | 1,36    | 1,44       |
| Kühlleistung/Cooling capacity/Potencia frigorifica                      | W        | 133       | 131        | 131     | 147     | 135        |
| Füllmenge/Fill. quantily/Charge/Carga                                   | R600a. g | *         | *          | *       | *       | *          |

\* Siehe Typenschild /See identification plate /Voir plaquette de caractéristiques /Ver plaqueta de características