











TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES

Verdichter/Compressor/Compresseur		Unidad	Unidad	
Typ/Type		L-76-AW	L-88-AW	
Förderleistung/Delivery/Débit		l/h		
Anlaufstrom/Starting current/Cour. de démarrage		A		
Widerstand/Resistance/Résistance		Ha/main/prin. Ω		
		Hi/aux Ω		
Temp.-Regler/Thermostat				
Typ/Type				
Reglerstellung/Position				
Schaltwerte/Switching values/		„ein“ $^{\circ}\text{C}$		
Valeurs de commutation		„aus“		
		(„abtauen“ od.) „alarm“		
Füllmenge/Fill.quantity/Charge	R12	g	215	
Anschlußwert/Conn.load/Puiss. connectée		W	155	145
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Schaltuhr/Timer/Minuterie de contact				
Widerstand/Resistance/Résistance		Ω		

Pos.	EU1,GB1	EU2,EU3,GB2	
	Unidad	Unidad	
	L-76-AW	L-88-AW	
1	14 0716	14 0719	
2	03 9717	03 9717	
3	03 9719	03 9872	
4	03 5152	03 5152	
5	03 5392	03 5392	
6			
7			
8	27 2612	27 2612	
9	05 0166	05 0166	
10			
11	27 5629	27 5629	
12			