









| TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS | | | | | |
|---|------------------|--------------------|-------------------|-------------------|--|
| Test conditions: CECOMAF (evap. temp. -25°C) | | | | | |
| Verdichter/Compressor/Compresor | | | | | |
| Typ/Type/Tipo | Matsushita DG91E | Danfoss NLX8.8KK.2 | Matsushita DG100E | Danfoss NLX10KK.2 | |
| Anlaufkondensator/Running capacitor/Condensador de marcha | OPT | YES | OPT | YES | |
| Stromverbrauch/Current consumption/Int. consumo | 0.64 | 0.37 | 0.70 | 0.44 | |
| Leistungsverbrauch/Power consumption/Potencia cons. | 95,00 | 76,00 | 109,00 | 89,50 | |
| C.O.P. | 1,20 | 1,49 | 1,20 | 1,49 | |
| Kühlleistung/Cooling capacity/Potencia frigorífica | 114 | 113 | 131 | 133 | |
| Füllmenge/Fill. quantity/Charge/Carga | R600a. | * | * | * | |

* Siehe Typenschild /See identification plate /Voir plaque de caractéristiques /Ver plaqueta de características