











Pos.	KF/ Refrig. Cooler	GF/ Cong. Freezer
1	0301	0306
2	0302	0307
3	0303	0308
4	0304	0309
5	0305	0310
6	0311	
7	0312	
8	0313	
9	0314	
10	0315	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES / DATOS TECNICOS						
Test conditions: CECOMAF (evap. temp. -25°C)						
Verdichter/Compressor/Compresor	LG	Danfoss	Danfoss	Aspera	Aspera	
Typ/Type/Tipo	NDA62NAEG	TLY5.7KK.3	TLX5.7KK.3	EMX20CLC	EMX26CLC	
Anlaufkondensator/Runing capacitor/Condensador de marcha	NO	YES	YES	YES	YES	
Stromverbrauch/Current consumption/Int. consumo	A	0,48	0,28	0,28	0,17	0,21
Leistungverbrauch/Power consumption/Potencia cons.	W	66,00	64,00	54,70	37,30	47,40
C.O.P.	W/W	1,07	1,06	1,28	1,24	1,32
Kühlleistung/Cooling capacity/Potencia frigorífica	W	71	68	70	46	62
Füllmenge/Fill. quantity/Charge/Carga	R600a. g	*	*	*	*	*

* Siehe Typenschild /See identification plate /Voir plaque de caractéristiques /Ver plaqueta de características